



RESEARCH

Abstracts and Articles



Table of Contents

Introduction	4
Collaboration Research Abstracts	
The Role of Brain Activity in Characterizing Successful Reading Intervention in Children with Dyslexia	5
Abnormal Vision Motion Processing is Not a Cause of Dyslexia	6
Gray Matter Volume Changes Following Reading Intervention in Dyslexic Children	7
Neural Changes Following Remediation in Adult Developmental Dyslexia	8
White Matter Microstructural Plasticity Associated with Educational Intervention in Reading Disability	9
Socioeconomic Status and Reading Disability: Neuroanatomy and Plasticity in Response to Intervention	10
Impact of Intensive Summer Reading Intervention for Children with Reading Disabilities and Difficulties in Early Elementary School	11
Intensive Summer Intervention Drives Linear Growth of Reading Skills in Struggling Readers.....	12
Rapid and Widespread White Matter Plasticity During an Intensive Reading Intervention.....	13
The Causal Relationship between Dyslexia and Motion Processing	14
Small or Absent Visual Word Form Area is a Trait of Dyslexia	15
Sensitive Periods for White Matter Plasticity and Reading Intervention.....	16
Learning Difficulties: Symptoms, Causes, and Solutions	17
“Decoding Versus Comprehension”: Brain Responses Underlying Reading Comprehension Improvement in Autism.....	18
Changes in Intrinsic Local Connectivity After Reading Intervention in Children with Autism.....	19
Reading Comprehension Improvement in Autism	20
From Word Reading to Multisentence Comprehension: Improvements in Brain Activity in Children with Autism after Reading Intervention.....	21
Changes In Intrinsic Connectivity of the Brain’s Reading Network Following Intervention in Children with Autism	22
The Impact of Reading Intervention on Brain Responses Underlying Language in Children with Autism.....	23
Effects of a Theoretically Based Large-Scale Reading Intervention in a Multicultural Urban School District.....	24
Research Articles by Lindamood-Bell	
Sensory-Cognitive Factors in the Controversy over Reading Instruction	25
Gestalt Imagery: A Critical Factor in Language Comprehension	26
Issues in Phonological Awareness Assessment.....	27

Introduction

Over the past forty years, Lindamood-Bell Learning Processes and our research collaborators have amassed a large body of diversified evidence indicating that all individuals can learn to their potential. This research has evolved into a more comprehensive model of servicing the needs of individuals in need of learning and literacy enhancement. We refer to this model as the Cognitive Science of Learning.

In this research summary, you will find peer-reviewed, independent, and collaborative research conducted by Lindamood-Bell Learning Processes and institutions such as Georgetown University, MIT, UAB, the University of Washington, and Stanford. These studies have significantly advanced the knowledge and practices about what must be done to meet the diagnostic literacy and learning needs of individuals who struggle to learn, including those with a diagnosis of dyslexia, memory and language comprehension deficits, and autism.

Sincerely,



Paul Worthington

Director of Research and Development




P.S. Scan the QR code to explore our full library of research and see how the Cognitive Science of Learning is transforming outcomes for students of all ages.



The Role of Brain Activity in Characterizing Successful Reading Intervention in Children with Dyslexia



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)



On Cloud Nine for Visualizing and Verbalizing for Math

PROFILE:


Number of Students: 31 **Age:** 7.4 - 12.6

Programs Implemented: • Seeing Stars
• On Cloud Nine

Outcome Measures: • WASI
• Woodcock-Johnson

BACKGROUND:

This NIH-funded study examined the relationship between reading and math skills, and was conducted by the Center for the Study of Learning, Department of Pediatrics at Georgetown University Medical Center. Children with dyslexia were assigned to a phonological- and orthographic-based tutoring period in the Seeing Stars program as well as a within-subjects control period, using the On Cloud Nine math program, to examine intervention-induced changes in reading and math learning behavior as associated with brain activity. The intensive intervention focused on promoting reading through phonological and orthographic skills. The study was designed to examine, 1) intervention-induced changes in behavior and brain activity, and 2) related behavioral and brain activity pre-intervention data that revealed predicted intervention-induced gains in reading and math performance.



The graph above shows standard score changes in behavioral measures following intervention: reading skills, phonological and orthographic reading-related skills, other reading related skills (rapid naming and memory), and math skills. Highlights: Large standard score changes on the calculation and math fluency measure following OCN instruction. Following Seeing Stars intervention, students made large gains on word reading and passage comprehension.

RESULTS:

Overall, the students made strong gains in both reading and math performance, the two skills developed in the intervention. These gains were specific to the reading intervention, as the control math intervention resulted in gains on math but not on reading measures. The study concludes that behavioral changes (growth in reading and reading-related skills) were “significant, specific, and enduring.” The researchers also concluded that individual brain changes were too variable among study participants to determine specific patterns of growth in neural activation at the group level.

LOCATION:

Center for the Study of Learning, Department of Pediatrics, Georgetown University Medical Center, Washington, DC, United States



Abnormal Vision Motion Processing is Not a Cause of Dyslexia



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects: 22

Age: 7-12

Program Implemented:

- Seeing Stars


Outcome Measures:

- Lindamood Auditory Conceptualization Test-3rd
- Woodcock Johnson Tests of Achievement-3rd (Word Identification and Word Attack)
- Brain activity (fMRI)

BACKGROUND:

Georgetown University’s Center for the Study of Learning, in collaboration with Lindamood-Bell Learning Processes, conducted an experiment involving children with dyslexia. This study investigated the efficacy of the Seeing Stars program, which develops symbol imagery for reading. Children were pretested on a battery of reading assessments, received approximately 120 hours of Seeing Stars instruction, and were posttested. Eight weeks later the children received follow-up testing. Brain scans were obtained using functional magnetic resonance imaging (fMRI) at the three points in time. Small-group instruction was delivered by specially trained Lindamood-Bell staff. Behavioral (i.e., reading assessment) and neuroimaging results during the intervention period were compared to results during the control period.

Mean Standard Scores



Note: *Statistically significant (p ≤ .05)

RESULTS:

On average, pre- to posttest results were statistically significant on all three reading assessments, and activity in the area of the brain associated with visual processing (right V5/MT) also increased significantly after the intervention. Post- to follow-up results (behavioral and neuroimaging) were not significant; demonstrating that the improvements were specific to the intervention. The results of this study illustrate that Lindamood-Bell instruction in the Seeing Stars program leads to increased brain activity and improved reading for children with dyslexia.

LOCATION:

Center for the Study of Learning, Georgetown University Medical Center, Washington, D.C., USA



Gray Matter Volume Changes following Reading Intervention in Dyslexic Children



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects: 11

Age: 7-11

Program Implemented:

- Seeing Stars


Outcome Measures:

- Brain Structure (fMRI)
- Rapid Automatized Naming
- Lindamood Auditory Conceptualization Test-3rd
- Woodcock-Johnson (Word Identification and Word Attack)
- Symbol Imagery Test

BACKGROUND:

Georgetown University's Center for the Study of Learning, in collaboration with Lindamood-Bell Learning Processes, conducted a neuroscientific experiment involving children with dyslexia. This study investigated the efficacy of the Seeing Stars program, which develops symbol imagery for reading. Children were pretested on a battery of reading assessments, received eight weeks of Seeing Stars instruction, and were posttested. Eight weeks later the children received follow-up testing. Brain scans were obtained using functional magnetic resonance imaging (fMRI) at the three points in time. Instruction was delivered by teachers who received professional development in Seeing Stars.

Percent Change in Gray Matter Volume



RESULTS:

Note: *Statistically significant ($p \leq .05$)

On average, pre- to posttest results were statistically significant in all brain regions and on all reading assessments. Post- to follow-up results (neuroimaging and behavioral) were not significant; demonstrating that the improvements were specific to the intervention. In addition, follow-up results showed that improvements were maintained. The results of this study illustrate that Lindamood-Bell instruction in the Seeing Stars program leads to increased brain structure and improved reading for children with dyslexia.

LOCATION:


Center for the Study of Learning, Georgetown University Medical Center, Washington, D.C., USA




Neural Changes Following Remediation in Adult Developmental Dyslexia



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)



Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)



Lindamood Phoneme Sequencing Program for Reading, Spelling, and Speech (LiPS)

PROFILE:

Number of Subjects:

- 9 Lindamood-Bell
- 10 Control

Programs Implemented:


- Seeing Stars
- Lindamood Phoneme Sequencing
- Visualizing and Verbalizing

Outcome Measures:

- Test of Auditory Analysis Skills
- Symbol Imagery Test
- Brain Activity (fMRI)

BACKGROUND:

Georgetown University's Center for the Study of Learning, in collaboration with Lindamood-Bell Learning Processes, conducted an experiment involving adults with dyslexia. This study investigated the efficacy of the Seeing Stars, Visualizing and Verbalizing, and Lindamood Phoneme Sequencing programs, which develop symbol imagery, concept imagery, and phonemic awareness. Subjects were pretested on phonological processing assessments, received approximately 112 hours of Lindamood-Bell instruction, and were posttested. In addition, pre- and posttest brains scans were obtained using functional magnetic resonance imaging (fMRI). Instruction was delivered by specially trained Lindamood-Bell staff.



RESULTS:

On average, Lindamood-Bell subjects demonstrated greater improvements, statistically, than comparison subjects as correlated with behavioral gains in reading. In addition, Lindamood-Bell subjects had comparatively larger increases in brain activity than comparison subjects. The results of this study support the Dual Coding Theory model of cognition and illustrate that instruction in the Lindamood-Bell programs lead to improved reading and increased strength in activation areas.

LOCATION:

Georgetown University Medical Center, Washington, D.C., USA, Wake Forest University Medical Center, Winston-Salem, NC, USA



White Matter Microstructural Plasticity Associated with Educational Intervention in Reading Disability



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects: 41

Age: 7-9 years old

Lindamood-Bell Programs Implemented:

- Seeing Stars

Outcome Measures:

- Symbol Imagery Test
- TOWRE-2
- WRMT-3

BACKGROUND:

The Massachusetts Institute of Technology (MIT) McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, in collaboration with Lindamood-Bell Learning Processes, conducted a randomized controlled trial involving young children with reading disabilities and difficulties. This experiment investigated the efficacy of the Seeing Stars® program, which develops symbol imagery for reading. This study investigated the relationship between reading outcomes and white matter connections that facilitate communication between brain regions critical for proficient reading. Researchers collected reading scores and diffusion-weighted images at the beginning and end of summer for 41 children with reading disabilities who had completed either 1st or 2nd grade. Children were randomly assigned to either receive an intensive reading intervention (n = 26; Seeing Stars from Lindamood-Bell which emphasizes orthographic fluency) or be deferred to a wait-list group (n = 15), enabling researchers to analyze how white matter properties varied across a wide spectrum of skill development and regression trajectories.




Figure 2: Changes in Symbol Imagery Test (SIT; left) and Composite Reading Index (right) scores for intervention (purple) and non-intervention (yellow) participants. Paired *t*-tests were used to compare pre and post scores within groups, and two-sample *t*-tests were used to compare scores at a given time point across groups. Significant tests ($p < 0.05$) are annotated in the figure.

RESULTS:

On average, the intervention group had larger gains in reading than the non-intervention group, which declined in reading scores. The authors' findings suggest that responses to intensive reading instruction are related predominantly to white matter plasticity in tracts most associated with reading.

LOCATION:

McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, Massachusetts Institute of Technology, Cambridge, MA, USA



Socioeconomic Status and Reading Disability: Neuroanatomy and Plasticity in Response to Intervention



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects:

- 40 Seeing Stars
- 25 Control

Age: 6-9

Program Implemented:

- Seeing Stars

Outcome Measures:

- Brain Activity (fMRI)

BACKGROUND:

The Massachusetts Institute of Technology (MIT) McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, in collaboration with Lindamood-Bell Learning Processes, conducted a randomized controlled trial involving young children with reading disabilities (RD) and difficulties. This experiment investigated the efficacy of the Seeing Stars program, which develops symbol imagery for reading. Children were randomly assigned to intervention (Seeing Stars) or non-intervention (control) groups. Before and after, all children received functional magnetic resonance imaging (fMRI) to measure cortical thickness. Over a six-week period of time, children in the Seeing Stars group received between 100 and 120 hours of instruction that was delivered by specially trained Lindamood-Bell staff.

Brain (Cortical) Growth



Note: Figure used with author's permission.

RESULTS:

Brain regions (red and yellow areas) grew significantly thicker in children whose reading scores improved (n=20) after Seeing Stars instruction. In addition, children from lower-socioeconomic status (SES) families were more likely to benefit from instruction than children from higher-SES families, and children with more severe reading disability exhibited the most improvement in reading scores. "These findings indicate that effective summer reading intervention is coupled with cortical growth, and is especially beneficial for children with RD who come from lower-SES home environments" (p.1).

LOCATION:

McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, Massachusetts Institute of Technology, Cambridge, MA, USA



Impact of Intensive Summer Reading Intervention for Children with Reading Disabilities and Difficulties in Early Elementary School



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects:

- 23 Seeing Stars
- 24 Control

Age: 6-9

Program Implemented:


- Seeing Stars

Outcome Measures:

- Woodcock Johnson Tests of Achievement-3rd (Word Identification and Word Attack)
- Test of Word Reading Efficiency-2nd (Sight Word Efficiency and Phonemic Decoding Efficiency)
- Dynamic Indicators of Basic Early Literacy Skills (Oral Reading Fluency)
- Symbol Imagery Test

BACKGROUND:

The Massachusetts Institute of Technology (MIT) McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, in collaboration with Lindamood-Bell Learning Processes, conducted a randomized controlled trial involving young children with reading disabilities and difficulties. This experiment investigated the efficacy of the Seeing Stars program, which develops symbol imagery for reading. Children were randomly assigned to intervention (Seeing Stars) or non-intervention (control) groups. All children were pre- and post-tested on a battery of reading measures. Over a six-week period of time, children in the Seeing Stars group received between 100 and 120 hours of instruction that was delivered by specially trained Lindamood-Bell staff. Gains made by the Seeing Stars group were compared to gains made by the control group. Effect sizes were calculated to determine the magnitude of the differences between the groups.



Note: *Statistically significant (p ≤ .05).

RESULTS:

Large effects were realized on four of the six measures, with Oral Reading Fluency being near the large threshold, and statistical significance (p ≤ .05) favoring the Seeing Stars group was reached on five of the six measures. A very large effect size ($\eta_p^2 = .60$) was realized on a composite across all measures, which was also significant (p ≤ .001) in favor of the Seeing Stars group. The results of this study illustrate that instruction in the Seeing Stars program supports the development of phonological and orthographic processing resulting in improvements in reading for children with reading disabilities and difficulties.

LOCATION:

McGovern Institute for Brain Research and Department of Brain and Cognitive Sciences, Massachusetts Institute of Technology, Cambridge, MA, USA

Christodoulou, J. A., Cyr, A., Murtagh, J., Chang, P., Lin, J., Guarino, A. J. ... Gabrieli, J. D. (2015). Impact of intensive summer reading intervention for children with reading disabilities and difficulties in early elementary school. *Journal of Learning Disabilities*, 50(2), 115-127. doi:10.1177/0022219415617163



Intensive Summer Intervention Drives Linear Growth of Reading Skills in Struggling Readers



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Students:

- 31 Seeing Stars

Age: 6-12

Program Implemented:

- Seeing Stars

Outcome Measures:

- Woodcock-Johnson IV (Basic Reading Skills & Reading Fluency)
- Test of word Reading Efficiency (Index)

BACKGROUND:

One of the major achievements of research in reading is the development of evidence-based intervention programs for struggling readers. Neuroscientific reading behavioral interventions studies typically utilized a pre-post design only to examine efficacy. Such study designs preclude the study of growth trajectories over the course of the intervention program. This new study conducted with the Institute of Learning Sciences Laboratory at the University of Washington analyzed reading growth curves for dyslexics using the Seeing Stars intervention approach. A cohort of 31 children (6–12 years) with reading difficulties (N = 21 with dyslexia diagnosis) was randomly selected for 160 hours of intervention occurring over 8 weeks. Measures were taken over 4 sessions assessing decoding, oral reading fluency, and comprehension.




Fig. 2. (A) Mean growth of composite reading skills. Growth curves are plotted using the intercept and slope estimates from a linear mixed-effects model with session as a categorical variable. The dashed lines represent measurements during the baseline period. Results show growth across reading measures during the intervention period, and no change (or a decline) in scores during the baseline period. ASD-EXP group.

Note: Figure used with permission.

RESULTS:

Using a Mixed-effects model of longitudinal measurements essentially revealed a “linear dose-response relationship between hours of intervention and improvement in reading ability, with significant linear growth on every measure of reading skill and none of the measures showing non-linear growth trajectories”. More specifically, decoding skills showed substantial growth [Cohen’s $d = 0.85$, with fluency and comprehension growing more gradually [$d = 0.41$]. These findings contrasted with stability or decline seen during a pre-intervention baseline period, seen in the group of age, and reading skill-matched control participants. Reading skills increased linearly with each hour of intervention, carrying practical implications for decision making around intervention policy and practice.

LOCATION:

Institute for Learning and Brain Sciences, University of Washington, Seattle, WA, USA, Department of Speech and Hearing Sciences, University of Washington, Seattle, WA, USA



Rapid and Widespread White Matter Plasticity During an Intensive Reading Intervention



Seeing Stars® for Phonological
and Orthographic Processing in
Reading and Spelling (SI)

PROFILE:

Number of Subjects: 24

Age: 7-12

Program Implemented:


- Seeing Stars

Outcome Measures:

- Brain Structure (MRI)
- TOWRE-2
- Woodcock-Johnson Basic Reading Composite

BACKGROUND:

The Institute for Learning and Brain Sciences at the University of Washington conducted a study examining growth in reading skills and neural connections (white matter) as a result of intensive reading intervention to develop the sensory-cognitive function of symbol imagery. This study is the first to measure white matter during an intensive reading intervention for dyslexics comparing children's learning with their brains' changes. Children who struggled with reading and/or had a diagnosis of dyslexia received eight weeks of intensive reading intervention at a Lindamood-Bell® Learning Center. Subjects took a series of reading tests before and after the intervention and underwent MRI scans at the beginning, middle, and end. A control group of children with mixed reading skill levels did not receive the reading intervention.



The study focused on the arcuate fasciculus (green), where language and sounds are processed; the left inferior longitudinal fasciculus (blue), where visual inputs, such as letters on a page, are transmitted throughout the brain; and the posterior callosal connections (pink), which link the two hemispheres of the brain (illustration used with permission).

RESULTS:

For study participants who took part in the development of symbol imagery for phonological and orthographic processing, reading skills improved by an average of one full grade level. Diffusion MRI data collected during instruction indicates that there were large-scale changes in white matter conductivity correlating with the gains in reading. Further, the study identifies white matter tracts that may predict the ease with which a child learns how to read. Subjects in the control group showed no changes. The results of this study illustrate that Lindamood-Bell Learning Center instruction in the Seeing Stars program led to increased brain structure conductivity and improved reading for children with reading difficulties including dyslexia.

LOCATION:

Institute for Learning and Brain Sciences, Department of Speech and Hearing Sciences, University of Washington, Seattle, WA, USA



The Causal Relationship between Dyslexia and Motion Processing



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Subjects: 47

Age: 7-12

Program Implemented:


- Seeing Stars

Outcome Measures:

- Woodcock-Johnson IV
- Word Identification
- Word Attack

BACKGROUND:

As one part of ongoing Lindamood-Bell Learning Processes (LBLP®) intervention studies with dyslexics, the University of Washington's Institute for Learning and Brain Science examined anew the causal relationship between motion sensitivity and reading skills. This relationship has been debated for many years. This specific study used one of LBLP's intensive reading intervention programs (Seeing Stars) to test the causal relationship between learning to read and the comparative growth in reading as related to visual motion processing in dyslexics.



Note: Figure used with permission.

RESULTS:

Two interesting findings were revealed. First, motion sensitivity remained stable over the course of the intervention regardless of the deficit revealed. Additionally, motion sensitivity deficits, where noted, did not negatively impact the learning process (see graph). Dyslexics with poor motion sensitivity showed the same improvement in reading skills as children with typical motion sensitivity. The authors concluded that the findings call into question the view that motion processing deficits are due to poor reading experience. Interestingly, while a significant feature of the intervention used relied on the stimulation and synthesis of orthographic and phonological processing, the authors speculate that motion processing deficits are among a collection of correlated risk factors for reading difficulties. They further note that dyslexia is most likely a multifaceted impairment in learning to read, a view consistent with the rationale behind the Seeing Stars intervention used in this study, which posits that being able to mentally manipulate the symbols for reading plays an equally critical role in learning to read as manipulating the sounds of the English language. In sum, the data show that, while the reading intervention enhanced reading abilities, learning to read did not correlate to motion sensitivity.

LOCATION:

University of Washington, Institute for Learning and Brain Science, Seattle, WA, USA



Small or Absent Visual Word Form Area is a Trait of Dyslexia



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Students: 90

Program Implemented:


- Seeing Stars

Outcome Measures:

- Woodcock-Johnson
- TOWRE Index

BACKGROUND:

Conducted in collaboration with LBLP, this study from Stanford University investigated how the brains of dyslexic learners adapt to reading interventions over time. The study focuses on whether differences in the visual word form area (VWFA)—a crucial region in the left ventral occipitotemporal cortex (VOTC) responsible for recognizing written words—are a stable trait of dyslexia or if they can change as struggling readers improve with targeted interventions. These participants underwent functional magnetic resonance imaging (fMRI) and behavioral assessments at five different points throughout the year. The analysis compared the brain regions in two different ways: first, at the beginning of the study, to examine differences in their presence, size, and function among participants with varying reading abilities, and second, over time, to explore how these regions changed as reading skills improved.



b, Proportion of participants with usable data who had a VWFA or FFA of any size present at baseline in typical (light purple) and dyslexic (purple) readers for each ROI.

c, Log transformed size (in number of vertices) at baseline in typical and dyslexic readers for each ROI.

RESULTS:

The findings revealed that dyslexic readers show significant differences in VWFA presence, size, and tuning properties compared to typical readers. The study confirms that while the intervention led to statistically significant improvements in reading skills and increased VWFA size, dyslexic readers still exhibit smaller VWFAs than their typical peers. This suggests that abnormalities in the VWFA may be a lasting trait of dyslexia. Perhaps with sufficient intervention that closes the reading skill gap, dyslexic readers are expected to have smaller VWFAs. The research highlights which aspects of brain function can change through intervention and which remain stable, offering valuable insights into the neurological basis of dyslexia.

LOCATIONS:

Graduate School of Education, Stanford University, Stanford, CA, USA.

Department of Psychology, Stanford University, Stanford, CA, USA.

Division of Developmental-Behavioral Pediatrics, Department of Pediatrics, Stanford University School of Medicine, Stanford, California, USA.

Department of Psychological & Brain Sciences, University of California, Santa Barbara, CA, USA.

Department of Special Education, Peabody College of Education and Human Development, Vanderbilt University, Nashville, TN, USA.

School of Education, University of California, Irvine, CA, USA.



Sensitive Periods for White Matter Plasticity and Reading Intervention



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

PROFILE:

Number of Students: 59

Program Implemented:
• Seeing Stars

Outcome Measures:

- WASI
- CTOPP-2
- Woodcock-Johnson

BACKGROUND:

As a child matures, some brain circuits stabilize while others remain plastic. However, the literature on maturational changes in the brain’s capacity for experience-dependent plasticity is primarily based on experiments in animals that mature over dramatically different time-scales than humans. Moreover, while principles of plasticity for sensory and motor systems might be conserved across species, the myriad of late-developing and uniquely human cognitive functions such as literacy cannot be studied with animal models. Here an intensive reading intervention program is used, in combination with longitudinal diffusion MRI measurements in school-aged children with dyslexia, to investigate the sensitive period for white matter plasticity and literacy learning.




Figure 3: Time-course of white matter plasticity and reading skill growth. (A) The time-course of change in mean diffusivity (MD) for the first white matter principal component (PC1) is plotted for the whole sample (purple), younger subjects (red) and older subjects (blue). Initial MD is lower in the older subjects, compared to the younger subjects, reflecting known maturational effects. But the time-course of plasticity is equivalent for the two groups. The vectors on the right side of the plot show the magnitude of change between the first two sessions and after completion of the intervention. Contrary to our hypothesis, the younger subjects showed slightly less change between the first two sessions and slightly less change overall (no significant differences). (B) In terms of behavioral improvements, the time-course and magnitude of reading gains were equivalent for both groups.

RESULTS:

Results show that the intervention induces large-scale changes in white matter diffusion properties, and improvements in reading scores, but that the magnitude and time course of plasticity does not depend on the subject’s age. Thus, it can be concluded that, for the intensive, one-on-one reading intervention program employed here, if a sensitive period exists, it does not end before middle school.

LOCATION:


Institute for Learning and Brain Sciences, University of Washington, Seattle, WA, USA, Department of Speech and Hearing Sciences, University of Washington, Seattle, WA, USA



Learning Difficulties: Symptoms, Causes, and Solutions



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)



Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)

PROFILE:

Number of Students: 274

Program Implemented:

- Seeing Stars
- Visualizing and Verbalizing

Outcome Measures:

- SI
- LAC
- WRMT
- SORT
- GORT
- PPVT
- DTLA

BACKGROUND:

From the Proceedings of the Braga 2014 Embracing Inclusive Approaches for Children and Youth with Special Education Needs Conference in Portugal, Lindamood-Bell Learning Processes (LBLP) presented a meta-analysis based on clinical literacy research from its Learning Centers across the United States. The second study was for a School Turnaround reform study in Colorado’s high-poverty, high-minority school district. The aim was to systematically improve the literacy rate for 3rd, 4th, and 5th-grade children, researching processes to understand better the symptoms and causes and literacy intervention to address specific sensory-cognitive language-based learning difficulties.

Table 5. Average Change in Percent Proficient and Advanced on State Assessment

School	Haskin	Clifton	Gilpin	Greenlee	Hanson	Sheridan
Δ	29	11	11	7	4	1

RESULTS:


Two separate analyses of the sensory-cognitive programs were conducted on students with learning disabilities (see analyses results above). One addressed decoding deficits using the Seeing Stars program, resulting in large effect sizes in four of five outcome measures. The other addressed comprehension deficits using the Visualizing and Verbalizing program, resulting in medium effect sizes in three of four outcome measures. Secondly, LBLP selectively implemented the same sensory cognitive interventions and model within the Colorado school system’s public education context. Of the six schools involved in the study across the state, one school, Haskin, implemented LBLP’s sensory-cognitive programs. It significantly outperformed the other five schools, which were using different interventions.

LOCATION:

Lindamood-Bell Learning Processes, San Luis Obispo, CA, USA



“Decoding Versus Comprehension”: Brain Responses Underlying Reading Comprehension in Children with Autism



Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)

PROFILE:

Number of Subjects:

- 18 Visualizing and Verbalizing
- 13 Control

Age: 8-13

Program Implemented:


- Visualizing and Verbalizing

Outcome Measures:

- Brain activation (fMRI)
- Gray Oral Reading Tests-4th (comprehension)


BACKGROUND:

Despite intact decoding ability, deficits in reading comprehension are relatively common in children with autism spectrum disorders (ASD). However, few neuroimaging studies have tested the neural bases of this specific profile of reading deficit in ASD. This fMRI study, in collaboration with Lindamood-Bell, examined activation and synchronization of the brain’s reading network in children with ASD and specific reading comprehension deficits during a word similarities task. Thirteen typically developing children and eighteen children with ASD performed the task in the MRI scanner. No statistically significant group differences in functional activation were observed; however, children with ASD showed decreased functional connectivity between the left inferior frontal gyrus (LIFG) and the left inferior occipital gyrus (LIOG). In addition, reading comprehension ability significantly positively predicted functional connectivity between the LIFG and left thalamus (LTHAL) among all subjects. The results of this study provide evidence for altered recruitment of reading-related neural resources in ASD children and suggest specific weaknesses in top-down modulation of semantic processing.





Changes in Intrinsic Local Connectivity After Reading Intervention in Children with Autism



Visualizing and Verbalizing®
for Language Comprehension
and Thinking (V/V)®

PROFILE:

Number of Subjects:

- 14 Visualizing and Verbalizing
- 14 Wait-list Control

Age: 8-14

Program Implemented:

- Visualizing and Verbalizing

Outcome Measures:

- Brain connectivity (fMRI)
- Gray Oral Reading Tests-4th (comprehension)

BACKGROUND:

The current study takes a translational neuroimaging approach to test the impact of a structured visual imagery-based reading intervention on improving reading comprehension and assessing its underlying local neural circuitry. Behavioral and resting state functional MRI (rs-fMRI) data were collected from children with Autism Spectrum Disorder (ASD) who were randomly assigned to an Experimental group (ASD-EXP; n=14) and a Wait-list control group (ASD-WLC; n =14). Participants went through an established reading intervention training program (Visualizing and Verbalizing for Language Comprehension and Thinking or V/V; 4 hours per day, 10 weeks, 200 hours of face-to-face instruction). Local functional connectivity was examined using a connection density approach from graph theory focusing on brain areas considered part of the Reading Network.





Fig. 2. Significant relationship between changes in reading comprehension abilities (GORT-4 percent change) and changes in local connectivity in the ASD-EXP group.

Note: Figure used with permission.


RESULTS:

The main results are as follows: (I) the ASD-EXP group showed significant improvement, compared to the ASD-WLC group, in their reading comprehension ability evidenced from change in comprehension scores; (II) the ASD-EXP group showed increased local brain connectivity in Reading Network regions compared to the ASD-WLC group postintervention; (III) intervention-related changes in local brain connectivity were observed in the ASD-EXP from pre- to post-intervention; and (IV) improvement in language comprehension significantly predicted changes in local connectivity. The findings of this study provide novel insights into brain plasticity in children with developmental disorders, in this case Autism, using targeted intervention programs.

LOCATION:

Department of Psychology, University of Alabama at Birmingham, Birmingham, AL, USA

Reading Comprehension Improvement in Autism



Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)

PROFILE:

Number of Subjects: 65

Age: 8-13

Lindamood-Bell Programs Implemented:

- Visualizing and Verbalizing

Outcome Measures:

- EVT-2
- DTLA-2 and DTLA-4
- Symbol Imagery Test
- WRMT-R
- WRAML-2
- PPVT-4
- GORT-4

BACKGROUND:

This study is one outcome of a larger collaborative research initiative between Lindamood-Bell Learning Processes and the University of Alabama in Birmingham. This research group is the first to report on the effects of the Visualizing and Verbalizing® (V/V®) intervention on reading comprehension in autism literature. The authors of this program note that the V/V intervention is built on the principles of Dual Coding Theory (DCT) of cognition, an established scientific theory that postulates that both visual representations and verbal information are necessary for optimal language comprehension. The authors of this study examined the effectiveness of the Visualizing and Verbalizing program for language comprehension intervention by comparing pre/post reading comprehension scores between two groups of children on the autism spectrum.

RESULTS:

Autistic students in the experimental group significantly improved in their pre- to post-reading comprehension scores, whereas the waitlist group did not. Verbal memory significantly predicted reading comprehension, though the group did not moderate relationships between cognitive test performance and reading comprehension. Results suggest that the V/V intervention may help improve reading comprehension for autistic children with poor language comprehension. Additionally, strategies for improving verbal memory may indirectly enhance reading comprehension in autistic children with this reading profile. This supports previous findings suggesting that the V/V intervention can facilitate reading comprehension improvements in autistic children with average or above average decoding skills and below average reading comprehension skills.




FIGURE 1: Change in reading comprehension, measured by GORT-4, following V/V intervention.

Grey bar: time 1 (pre-test); black bar: time 2 (post-test).

Error bars represent standard error of the mean.


Note. The autistic group that received the intervention in-between testing sessions showed significant improvement in reading comprehension from time 1 to time 2, $p < .001$, $d = .89$.

LOCATION:

University of Alabama, Birmingham



Changes in Intrinsic Connectivity of the Brain's Reading Network Following Intervention in Children with Autism



Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)

PROFILE:

Number of Subjects:

- 16 Visualizing and Verbalizing
- 15 Control

Age: 8-13

Program Implemented:


- Visualizing and Verbalizing

Outcome Measures:

- Brain connectivity (fMRI)
- Gray Oral Reading Tests-4th (comprehension)

BACKGROUND:

The University of Alabama at Birmingham Department of Psychology, in collaboration with Lindamood-Bell Learning Processes, conducted a randomized controlled trial involving children with Autism Spectrum Disorders (ASD). This experiment investigated the constructs of Dual Coding Theory (DCT) using the Visualizing and Verbalizing (V/V) program, which develops concept imagery for comprehension. Resting state functional magnetic resonance imaging (rsfMRI) was used to study the effect of V/V on the connectivity of regions of the brain associated with comprehension. Children with ASD typically have weaker connectivity, or underconnectivity, in these areas of the brain. Before and after instruction, children's brains were scanned and they were administered a reading comprehension test. A similar group of children with ASD went through the same procedures but did not receive V/V instruction (i.e., control group). Children in the V/V group received approximately 200 hours of instruction over a 10-week period of time. Instruction was delivered by specially trained Lindamood-Bell staff. The figure below shows pre- and posttest connectivity for the V/V group.



Note: *Statistically significant ($p \leq .05$). Broca's area is a region of the brain involved in comprehension. Figure used with author's permission.

RESULTS:


On average, the V/V group exhibited significantly greater brain connectivity after instruction than the control group. In addition, the V/V group also had a significantly ($p = .0006$) larger change in reading comprehension than the control group (16.4% and 2.6% respectively). Furthermore, researchers found that improvements in reading comprehension were correlated with increases in brain connectivity. The results of this study illustrate that instruction in the Visualizing and Verbalizing program supports the DCT model of cognition, leading to greater brain connectivity and improved comprehension for children with ASD.

LOCATION:

Department of Psychology, University of Alabama at Birmingham, Birmingham, AL, USA



The Impact of Reading Intervention on Brain Responses Underlying Language in Children with Autism



Visualizing and Verbalizing
for Language Comprehension
and Thinking (V/V)

PROFILE:

Number of Subjects:

- 13 Visualizing and Verbalizing
- 13 Control

Age: 8-13

Program Implemented:

- Visualizing and Verbalizing


Outcome Measures:

- Brain activation/connectivity (fMRI)
- Gray Oral Reading Tests-4th (comprehension)

BACKGROUND:

The University of Alabama at Birmingham Department of Psychology, in collaboration with Lindamood-Bell Learning Processes, conducted a randomized controlled trial involving children with autism spectrum disorders (ASD). This experiment investigated the constructs of Dual Coding Theory (DCT) using the Visualizing and Verbalizing (V/V) program, which develops concept imagery for comprehension. Translational functional magnetic resonance imaging (fMRI) was used to study the effect of V/V on sentence comprehension, brain activation, and functional connectivity. Children with ASD typically have weaker connectivity, or underconnectivity, in the areas of the brain associated with language. Before and after instruction, children's brains were scanned and they were administered a reading comprehension test. A similar group of children with ASD went through the same procedures but did not receive V/V instruction (i.e., control group). Children in the V/V group received approximately 200 hours of instruction over a 10-week period of time. Instruction was delivered by specially trained Lindamood-Bell staff. The figure below shows increased brain connectivity between Broca's and Wernicke's language areas for the V/V group (thicker blue line) compared to control group (thinner yellow line) during a task of visual imagery sentence comprehension. The thickness of the lines represents the magnitude of connectivity between the two brain areas.

Increased Brain Connectivity



Note: Figure used with author's permission.

RESULTS:

The strength of connectivity was significantly greater ($p < .05$) for the V/V group. In addition, the V/V group also had a significantly larger change ($p = .05$) in reading comprehension than the control group (13.9% and 3.9% respectively). Furthermore, researchers found a significant positive correlation between improvements in reading comprehension and brain activation. The results of this study illustrate that instruction in the V/V program supports the DCT model of cognition, leading to greater brain connectivity and improved comprehension for children with ASD.

LOCATION:


Department of Psychology, University of Alabama at Birmingham, Birmingham, AL, USA



LINDAMOOD-BELL LEARNING PROCESSES

R E S E A R C H

Effects of a Theoretically Based Large-Scale Reading Intervention in a Multicultural Urban School District



Seeing Stars for Phonological and Orthographic Processing in Reading and Spelling (SI)

Visualizing and Verbalizing for Language Comprehension and Thinking (V/V)

Lindamood Phoneme Sequencing Program for Reading, Spelling, and Speech (LiPS)

PROFILE:

Number of Schools¹:

- 13-22 Lindamood-Bell
- 291-684 Comparison

¹Sample size varied depending on analysis

Grades: 3rd-5th

Programs Implemented:

- Seeing Stars
- Lindamood Phoneme Sequencing
- Visualizing and Verbalizing


Outcome Measures:

- Colorado Student Assessment Program (reading)

BACKGROUND:

Pueblo City Schools in Pueblo, Colorado, serve a large percentage of students who are at-risk for reading failure. From the 1998/99 to the 2002/03 school years, Pueblo implemented Lindamood-Bell instruction to address the language processing needs of this student population. Students received Seeing Stars, Visualizing and Verbalizing, and Lindamood Phoneme Sequencing instruction to develop symbol imagery, concept imagery, and phonemic awareness. This study investigated the constructs of Dual Coding Theory (DCT) using the Seeing Stars and Visualizing and Verbalizing programs. Instruction was delivered by Pueblo teachers who received professional development in the programs. Student gains were measured with the state reading test and the results were compared to gains made by students from other, similar schools in Colorado who did not receive Lindamood-Bell instruction. Schools were comparable controlling for school size, free and reduced-price lunch, and minority populations. Third-grade results for Title I schools are provided below.

Percentage Point Difference



RESULTS:

The line in the chart above shows the percentage point difference (in percent proficient and advanced on the state reading test) between Pueblo (Lindamood-Bell) schools and comparison schools. By 2003, schools partnering with Lindamood-Bell were 26 percentage points above the average of the comparison schools. The independent evaluators who conducted this research determined that the main effect of Lindamood-Bell instruction was statistically significant ($p < .0001$). The authors state that "[Pueblo] Title I schools outperformed the average of the remaining comparable Title I schools in the state in an increasingly positive way during the years 1998-2003." The results of this study support the DCT model of cognition and illustrate that Lindamood-Bell instruction in the Seeing Stars, Visualizing and Verbalizing, and Lindamood Phoneme Sequencing programs leads to improved reading, which is essential to achieving success with school curricula.

LOCATION:

College of Education and Human Development, Texas A&M University, College Station, TX, USA



Sensory-Cognitive Factors in the Controversy over Reading Instruction

Authors: Patricia Lindamood, Nanci Bell, and Phyllis Lindamood
Publication: Journal of Developmental and Learning Disorders, 1(1)

SUMMARY:

In the early days of education, it was assumed that students coming to school had adequate vision and hearing. Over time it became evident that this was not necessarily the case, and it is now routine for schools to test the visual and auditory acuity of students so families can be advised if there are impairments that require attention. It was then assumed that if students had normal visual and auditory acuity, it was their responsibility to learn the content provided by their teachers.

However, specific levels of sensory-cognitive processing are at least as critical to learning as specific levels of sensory acuity. The advent of sensory-cognitive measures has equipped us as educators to determine if students are processing sensory information consciously enough at the central level to be able to learn, think, and reason. Pribram (1991) clarified this cognitive aspect of perception when he observed that individuals cannot think about something of which they are not consciously aware, and cannot be aware of something not perceived sufficiently at the sensory level to come to consciousness.

Several promising areas for research have been indicated through our clinical experience. The possible contribution of symbol imagery, phonemic awareness, and concept imagery needs to be studied in formal research in the areas of organic disorders such as deafness and hearing impairments, cerebral palsy, cleft palate, and apraxia, as well as strokes, aneurysms, and traumatic brain injury. Much to our surprise, we have observed degrees of improvement that we wouldn't have expected for the limited numbers of such clients that we have served. It appears that lack of conscious awareness of sensory feedback and its conscious integration with language, as needed for sensory-cognitive functions, may have more effect on impaired speech or language within these conditions than the organic condition itself. Areas such as developmental delay, high level autism, resistant cases of functional articulation disorder, and the acquisition of a second language also appear to be fruitful areas for further research.

LOCATION:

Lindamood-Bell Learning Processes, San Luis Obispo, CA, USA



Gestalt Imagery: A Critical Factor in Language Comprehension

Author: Nanci Bell

Publication: *Annals of Dyslexia*, 41(1)

SUMMARY:

Reading is cognition. Gestalt imagery contributes to the cognition process of comprehending oral and written language. The imaging factor, discussed for many years in the field of cognitive psychology, appears to be automatic for many individuals and has, perhaps, been assumed to be present for all. This assumed factor, as well as the focus on decoding, the lack of good oral and written comprehension tests, the continuing dispute over context, phonological processing, and sight word instruction has left comprehension without the attention it requires. Instructional procedures to develop comprehension have been in the format of decoding and/or listening and simply answering questions—a format that tests comprehension rather than teaches comprehension.

Historically, because of the psycholinguists' cry for meaning and deep structure, the field of reading has been turned away from excessive concern over surface structure—a focus on decoding only. However, it has since been found that increasing vocabulary and stimulating background knowledge or use of context clues does not guarantee comprehension development.

With specific attention to the integration of imagery and verbalization, it is possible to develop an imaged gestalt from which interpretation and reasoning can be processed. "According to the Dual Coding Theory, meaning consists of the relations between external stimuli and the verbal and nonverbal representational activity they initiate in the individual," Paivio (1986).

It is my hope that this initial inquiry will serve to generate further discussion and research focusing on the diagnosis and development of the imaged gestalt and language comprehension.

LOCATION:

Lindamood-Bell Learning Processes, San Luis Obispo, CA, USA



Issues in Phonological Awareness Assessment

Authors: Patricia Lindamood, Nanci Bell, and Phyllis Lindamood

Publication: Annals of Dyslexia, 42

SUMMARY:

Awareness of the internal phonological structure of words is a causal factor in success with the alphabetic principle in word recognition. However, findings with the Lindamood Auditory Conceptualization (LAC) Test reveal 25-30% of the population show deficiency in a subtle component of phonological awareness termed comparator function. We argue that this comparator function—an ability to hold the phoneme and/or syllable segments of two phonological structures in mind and compare and represent any variations in the number, identity, or order of their segments—is a primary sensory-cognitive function underlying the secondary function of self-correction in word recognition and spelling. And since word recognition correlates highly with comprehension, comparator function also indirectly impacts this basic purpose for reading. We suggest that the needs of many individuals, including educators themselves, for development and refinement of phonological awareness/comparator function may be misdiagnosed and underaddressed unless more sensitive measures of phonological awareness are used. The consequence of inadequate assessment/remediation of these deficiencies in educators is that they may be less able to assess and address these deficiencies in their students. Standard phonics instruction is known to be ineffective in developing phonological awareness for many individuals. However, phonological deficits can be addressed both preventively and remedially using procedures that are fundamentally different from typical phonics instruction.

LOCATION:

Lindamood-Bell Learning Processes, San Luis Obispo, CA, USA



416 Higuera Street
San Luis Obispo, CA 93401
(805) 541-3836 / (800) 233-1819
LindamoodBell.com